Woodthorne Primary School

Calculation Policy



The purpose of our Calculation Policy is to ensure consistency in the teaching of Mathematics throughout the school and to ensure that pupils develop efficient written and mental methods of calculation, underpinned by conceptual understanding.

Calculation Policy

This policy provides an overview of the strategies used in our school to teach Mathematics, specifically the four operations, as defined within the National Curriculum in England: Mathematics Programme of Study.

The progression of the four operations $(+, -, x \text{ and } \div)$ are shown across each of the primary year groups 1 - 6. This is a guide since children progress at different rates. Teachers should model strategies appropriate to the ability of the children they teach, regardless of their year group, whilst striving to achieve age related expectations at the end of the academic year.


At Woodthorne Primary School, we believe that children should be introduced to the processes of calculation through the **concrete**, **pictorial** and **abstract** (CPA) approach. Our children are introduced to calculation through practical activities, using **concrete** resources. As children develop their understanding of the underlying concepts and mathematical models, they develop ways of recording to support their thinking. In the first instance, this recording takes the form of **pictorial** representations. Over time, children learn how to use models and images to support their mental and informal written methods of calculation.

As children become more proficient in their use of mental methods, their informal written methods also become more efficient. Some recording takes the form of jottings, which are used to support children's thinking. More **abstract**, formal written methods are taught only when the child is able to use a wide range of mental calculation strategies and these are always underpinned by **concrete** and **pictorial** experiences.

Our ultimate aim is for children to be able to select an efficient method to solve problems. Therefore children will be encouraged to look at a calculation or problem and to determine the most appropriate method to choose – pictures, mental calculation with or without jottings or a formal, written method.

The end of year expectations in the National Curriculum shows the progression in children's use of calculation within the following strands 'Addition and Subtraction' and 'Multiplication and Division'. These end of year expectations will be achieved through the use of the following written methods of calculation.

Yea r	Addition +	Subtraction -	Multiplication x	Division ÷
1	 Add one-digit and two-digit numbers to 20 including zero. Read, write and interpret mathematical statements involving addition (+) and equal (=) signs. Addition of single digits: 	 Subtract one-digit and two-digit numbers to 20 including zero. Read, write and interpret mathematical statements involving subtraction (-) and equal (=) signs. Subtraction of single digits 7 – 4 = 3 	 Begin to understand multiplication through doubling numbers and quantities. Use arrays and sets of 'equal groups' to look at other multiples, e.g. x 5. Doubling – linking to x 2 	 Begin to understand division through grouping and sharing small quantities. Sharing equally
	5 + 3 = 8using concrete equipment:	using concrete equipment:	Double 4 is 8 or 4 + 4 = 8 or 4 x 2 = 8	Share 10 into 2 equal groups
	using concrete equipment.		using concrete equipment:	using concrete equipment:
	(Numicon)	(Numicon)	(Numicon)	Count how many are in each set = 5
	Addition of two digit numbers to 20 and a one digit number:			(Numicon)
	12 + 5 = 17using concrete equipment: (Numicon)	Subtraction of a one-digit number from a two-digit number to 20. $13-4=9$	using pictorial representations: $9000000000000000000000000000000000000$	Model putting the 2s on top of the ten Numicon tile. How many 2s have I
	(Dienes)	using concrete equipment: (Numicon)	%00%00%00 Use an array or equal groups to solve multiplication problems for multiples other than 2	used? 5 using pictorial representations: using abstract number sentences:
		(Dienes)	5, 3 times or 5 x 3 = 15	10 ÷ 2 = 5
	(Dienes and ten frames)	(Ten frames)	using concrete equipment (Numicon) I then use my 10s checker	Grouping How many 2s are in 10? What is 10 grouped into twos? using concrete equipment: Count how many groups = 5
	(Bead Strings)			



* Add numbers, including:

- a two-digit number and ones
- a two-digit number and tens
- two two-digit numbers
- adding three one-digit numbers
- Show that addition of two numbers can be done in any order (commutative).

- Subtract numbers, including:
 - a two-digit number and ones
 - a two-digit number and tens
 - two two-digit numbers
- Show that subtraction of two numbers cannot be done in any order.
- Calculate multiplication statements within the 2, 5 and 10 multiplication tables and write them using the multiplication (x) and equals (=) signs.
- Show that multiplication of two numbers can be done in any order (commutative).
- Calculate division statements within the 2, 5 and 10 multiplication tables and write them using the division (÷) and equals (=) signs.
- Show that division of numbers cannot be done in any order.

Addition of a two-digit number and ones:

$$52 + 5 = 57$$

...using concrete equipment:


(Numcion)

(Dienes)





(Place value counters)



...using pictorial representations:



Addition of a two-digit number and tens

$$34 + 20 = 54$$

...using concrete equipment:

(Numicon)

(Dienes)







Subtraction of a two=digit number and ones

$$45 - 4 = 41$$


... using **concrete** equipment:

(Numicon)

(Dienes)



(Place value counters)



....using **pictorial** representations:



Subtraction of a two-digit number and tens

$$47 - 20 = 27$$

...using **concrete** equipment:

Multiplication of two numbers within the 2, 3, 5, 10 multiplication tables.

Introduce x sign to mean 'how many time" and model recording calculations

 $5 \times 3 = 15 \text{ or } 5, 3 \text{ times} = 15$

Understand multiplication can be done in any order $3 \times 5 = 15$ and 5×3 = 15.


... using concrete equipment (Numicon)



I then use my 10s checker



(Arrays and ten frames)



(Counters – one to many correspondence)

Division of numbers within known multiplication tables

Consolidate understanding of 'sharing' and 'grouping' as outlined within Year 1.

Grouping

How many 2s are in 10? What is 10 grouped into twos?

...using concrete equipment:



Count how many aroups = 5

(Counters – one to many correspondence)

1) Because I am counting in multiples of 2, I need to write 2 on my counters. I need as many counters as it takes me to count in multiples of 2 to get to 10 e.g. 2, 4, 6, 8, 10.











2) Now. I need to point at each counter and count how many groups I have e.g. 1, 2, 3, 4, 5.

... using **pictorial** representations:



...using **pictorial** representations:



Addition of two two-digit numbers (no exchange):


34 + 23 = 57

...using **concrete** equipment:


(Numicon)



(Dienes)



(Place value counters)




... using **pictorial** representations:




Subtraction two two-digit numbers (no regrouping)

$$47 - 23 = 24$$

...using **concrete** equipment:



(Place value counters)



... using **pictorial** representations:



1) Because I am counting in multiples of 5, I need to write 5 on my counters. I need three counters.



2) Now, point at each counter, counting in multiples of 5 e.g. 5, 10, 15.

...using **pictorial** representations: (Arrays)

-
-

(Counters – one to many correspondence)

1) I need to write 5 out three times and count '1, 2, 3' as I do this.

5 5 5

2) Now, I need to draw circles around my numbers and count in multiple of 5. E.g. '5, 10, 15'




... using **abstract** mental strategies: (Counting in multiples)

5 10 15 or 2, 4, 6 or 10, 20, 30



Calculate mathematical statements within the **2**, **5** and **10** multiplication



correspondence)

1) I need to write 2 as many times as it takes me to count in multiples of 2 to get to 10 e.g. 2, 4, 6, 8, 10.

(Counters – one to many

2 2 2 2 2

2) Now, I need to draw circles around my numbers to count how many groups I have




e.g. 1, 2, 3, 4, 5.

... using abstract number sentences:


 $10 \div 2 = 5$

 $12 \div 3 = 4$

Pupils write number sentences to represent their workings out using the division (÷) and equals (=) signs.




...using pictorial representations:



Addition of two two-digit numbers (exchange)

47 + 24 = 71

...using **concrete** equipment: (Numicon)







Then, I use my 10 checker.



Subtraction two two-digit numbers (regrouping)

$$52 - 27 = 25$$

...using **concrete** equipment:


(Place value counters)

Tens	Ones
(0) (0) (0) (0)	

7 ones cannot be subtracted from 2 ones, so exchange 1 ten with 10 ones.



Now, subtract 7 ones.



Now, subtract 2 tens.

Tens	Ones
(0)	

...using pictorial representations:



7 ones cannot be subtracted from 2 ones so exchange 1 ten with 10 ones.




Now, subtract 7 ones.

tables and write them using the multiplication (×) and equals (=) signs.


 $4 \times 5 = 20$ $7 \times 10 = 70$

 $9 \times 2 = 18$



3	34 + 20 = 54 34 + 23 = 57 47 + 24 = 71 Addition of three single digit numbers: 4 + 7 + 6 = 17 using concrete equipment: Identify number bonds if possible, e.g. 4 and 6 make 10 / 4 + 6 = 10. Then, add on 7 (Numicon) using abstract, mental strategies: 4 + 7 + 6 17 Identify the two numbers that make ten and then add on the remaining number mentally. • Add numbers mentally, including:	Subtract numbers mentally, including: a three-digit number and ones a three-digit number and tens a three-digit number and hundreds Subtract a two-digit or 3-digit number from a two-digit or 3 digit number using a formal written method Subtraction of a three-digit number	 Recall and use multiplication facts for the 3, 4 and 8 multiplication tables. Multiply using multiplication tables that they know, including for two-digit numbers times one-digit numbers, using efficient written methods- 'partitioning method' Recall and use multiplication facts for	 Recall and use division facts for the 3, 4 and 8 multiplication tables. Divide using known multiplication tables, including for two-digit numbers divided by one-digit numbers, using mental methods, progressing to efficient written methods Recall and use division facts for the 3,
	ones:	and ones:	the 3, 4 and 8 multiplication tables.	4 and 8 multiplication tables.
	176 + 3 = 179	136 – 4 = 132	8 x 4 = 32	56 ÷ 8 = 7
	using concrete equipment:	using concrete equipment:	using concrete equipment	using concrete equipment






(Place value counters)

Addition of a three-digit number and tens:


342 + 50 = 392

... using **concrete** equipment:


(Dienes)



(Dienes)



(Place value counters)




Subtraction of a three-digit number and tens:

273 - 40 = 233

...using **concrete** equipment:

(Dienes)




(Place value counters)



(Counters - one to many correspondence)

1) Because I am counting in multiples of 8, I need to write 8 on my counters. I need four counters.



2) Now, point at each counter, counting in multiples of 8 e.g. 8, 16, 24, 32.

...using **pictorial** representations:

(Counters – one to many correspondence)

1) I need to write 8 out four times and count '1, 2, 3, 4' as I do this.

8 8 8 8

2) Now, I need to draw circles around my numbers and count in multiple of 8. E.g. '8, 16, 24, 32'



... using **abstract** mental strategies: (Counting in multiples)

3, 6, 9... or 4, 8, 12... or 8, 12, 16...

Multiplication of a two-digit number by a one-digit number.

 $13 \times 4 = 52$

24 x 3 = 72

...using concrete equipment

Counters – one to many correspondence)

1) Because I am counting in multiples of 8, I need to write 8 on my counters. I need as many counters as it takes me to count in multiples of 8 to get to 56 e.g. 8, 16, 24,



32, 40. 48, 56.

2) Now, I need to point at each counter and count how many groups I have e.g. 1, 2, 3, 4, 5, 6, 7.

...using pictorial representations:

(Counters – one to many correspondence)

1) I need to write 8 as many times as it takes me to count in multiples of 8 to get to 56 e.g. 8, 16, 24, 32, 40. 48, 56.

8 8 8 8 8 8

2) Now, I need to draw circles around my numbers to count how many groups I have e.g. 1, 2, 3, 4, 5, 6, 7.




Division of a two-digit number by a one-digit number, using known multiplication tables.


 $60 \div 3 = 20$

...using **concrete** equipment

Sharing Grouping



(Place value counters)




Addition of a three-digit number and hundreds:

306 + 300 = 606

... using **concrete** equipment:

(Dienes)



(Place value counters)




Subtraction of a three-digit number and hundreds:

324 - 200 = 124

 \dots using $\boldsymbol{concrete}$ equipment:

(Dienes)



(Place value counters)



Subtraction of numbers with up to three digits

263 - 129 = 134


...using concrete equipment:

(Dienes)

Thousands	Hundreds	Tens	Ones
Thousands	Hundreds	Tens	Ones
		IIIII	•••

9 ones cannot be subtracted from 3 ones so exchange 1 ten for 10 ones.

(Dienes)




Count the number of ones, and then count the number of tens.

Hundreds	Tens	Ones
	40	12

40 + 12 = 52

(Place value counters)

First calculation




Count the number of ones, and then count the number of tens.

Hundreds	Tens	Ones
	(0)	
	(0)	
	(0)	
	(0)	
	40	12


40 + 12 = 52

(Dienes)





(Place value counters)





 $6 \text{ tens} \div 3 = 2 \text{ tens} = 20$

Dividing a two-digit numbers by one-digit numbers.

 $54 \div 3 = 18$.

...using concrete equipment:

(Numicon)



Share the tens equally into 3 groups.









Addition of numbers with up to three digits


263 + 119 = 392

...using **concrete** equipment:

(Dienes)

Thousands	Hundreds	Tens	Ones

Exchange 10 ones for 1 ten.



Thousands	Hundreds	Tens	Ones
			••
		Ш	
		9	2

Thousands	Hundreds	Tens	Ones
		IIIIII	••
		III	
	3	q	2

Now, subtract 9 ones.

Now, subtract 2 tens.

Now, subtract 1 hundred.

Thousands	Hundreds	Tens	Ones
			•••
	I	3	4
		3	4

(Place value counters)




9 ones cannot be subtracted from 3 ones so exchange 1 ten for 10 ones.

Hundreds	Tens	Ones
	0 0 0	
		00000

Now, subtract 9 ones.

٠	vov, sabtrac	t 5 ones.	
	Hundreds	Tens	Ones
		(0) (0)	
		000	
			1
			l _t .

Second calculation



Count the number of ones, and then count the number of tens.




$$60 + 12 = 72$$

...using pictorial representations

First calculation


Count the ones first, then the tens and add the numbers together.



10 000

40 + 12 = 52


Second calculation




60 + 12 = 72

...using abstract methods


I have 24 left over. Now I need to divide 24 by 3.



(Numicon)



How many 3s goes into 5?



Now, make 24 and check how many 3s go into 24.

(Place value counters)

Thousands	Hundreds	Tens	Ones
	60 60	0 0 0	
		0 0 0	
		(10) (10)	

Exchange 10 ones for 1 ten.

Thousands	Hundreds	Tens	Ones
	(10)	0 0 0	
		(0) (0)	
		(0) (0) (0)	
		(10) (10) (10)	
			2

Thousands	Hundreds	Tens	Ones
		(0) (0)	
		(0) (0)	
		(0) (0) (0)	
		9	2

Thousands	Hundreds	Tens	Ones
		0 0 0	
	•	0000	
	3	9	2

...using pictorial representations







Exchange ten ones for 1 ten.







ØØØØØØØØØ

Now, subtract 2 tens.

Now, subtract 1 hundred.



...using pictorial representations



9 ones cannot be subtracted from 3 ones so exchange 1 ten for 10 ones and subtract 9 ones.



Now, subtract 2 tens.



Now, subtract 1 hundred.





 $... using \ \textbf{abstract} \ mental \ strategies$

(Column method)

Use of partitioning method, independent of equipment and diagrams.

$$13 \times 4 = (10 \times 4) + (3 \times 4)$$
$$= 40 + 12$$
$$= 52$$





...using **abstract** methods Completion of number sentences. $60 \div 3 = 20$

Progression in the formal written method for division:

Step 1

4	using abstract mental strategies (Column method) 2 6 3 + 1 2 9 3 9 2 Progression in columnar addition: Step 1 (to introduce) 2 digits - no exchanging e.g. 45 + 32 Step 2 2 digits - exchanging to the tens e.g. 43 + 18 Step 3 3 digits - exchanging to the tens e.g. 263 + 119 Step 4 3 digits - exchanging to the hundreds e.g. 357 + 261 Step 5 3 digits - exchanging to the thousands e.g. 847 + 931 Step 6 2 and 3 digit numbers – understand place value including the place value of columns. • Add numbers with up to 4 digits	Progression in columnar subtraction: Step 1 (to introduce) 2 digits - no exchanging e.g. 58 – 27 Step 2 2 digits - exchanging from tens e.g. 42 – 18 Step 3 3 digits - exchanging from tens e.g. 263 – 119 Step 4 3 digits - exchanging from hundreds e.g. 347 – 261 Step 5 2 from 3 digit numbers — understand place value including the place value of columns.	• Recall multiplication facts for	Two-digit number divided by a one-digit number – no exchanging across place value columns e.g. $84 \div 4 = 21$ 2 1 4 8 4 Step 2 Two-digit number divided by a one-digit number - involving exchanging across place value columns without remainders e.g. 1 8 3 5 ² 4 * Recall division facts for multiplication
	using mental strategies and the formal written methods (columnar addition)	using mental strategies and the formal written methods (columnar subtraction)	 multiplication tables up to 12 x 12. Multiply two-digit and three-digit numbers by a one-digit number 	 tables up to 12 x 12. Divide numbers up to 3 digits by a 1 digit number using the formal written method (no remainders)

- Add numbers with 2 decimal places, using formal written methods (columnar addition)
- Subtract numbers with 2 decimal places, using formal written methods (columnar subtraction)
- using formal written layout e.g. 84 x 6, 216 x 4
- Multiply three-digit numbers with 1 decimal place by a one-digit number using formal written layout e.g. 134.5 x 7

Recall and use multiplication facts for

the multiplication tables up to 12 x 12.

...using concrete equipment

Use of counters – one to many

Use of counters – one to many

12 x 12)

 $216 \times 4 = 864$

correspondence (as used in Year 3).

...using **pictorial** representations

correspondence (as used in Year 3).

... using abstract mental strategies:

Counting in multiples (the same as year 3

but involving all multiplication facts up to

Multiplication of two and three digit

numbers by a one-digit number

Recall and use division facts for the multiplication tables up to 12 x 12.

...using concrete equipment

Use of counters – one to many correspondence (as used in Year 3).

...using **pictorial** representations Use of counters – one to many correspondence (as used in Year 3).


... using abstract mental strategies:

Counting in multiples (the same as year 3 but involving all division facts up to 12×12)

Divide numbers with up to three-digit by a one-digit number

 $976 \div 8 = 122$

...using **concrete** equipment (Numicon)



Addition of numbers with up to four digits:

...using **concrete** equipment

Use of place value chart and dienes (as used in Year 3).

Thousands	Hundreds	Tens	Ones

Use of place value chart and place value counters (as used in Year 3).

ounters (as asea in rear s).			
Thousands	Hundreds	Tens	Ones

...using **pictorial** representations
Use of place value counters to support understanding (as used in Year 3).

...using **abstract** strategies (Column method)
four digit + four digit

Subtraction of numbers with up to four digits

...using **concrete** equipment

Use of place value chart and dienes (as used in Year 3).

Thousands	Hundreds	Tens	Ones

Use of place value chart and place value counters (as used in Year 3).

Thousands	Hundreds	Tens	Ones

...using **pictorial** representations

Use of place value counters to support understanding (as used in Year 3).

...using **abstract** strategies

four digit – four digit

...using **concrete** equipment (Place value counters)

Thousands	Hundreds	Tens	Ones
	• •	0	000000
	00	0	000000
		0	000000
		0	000000

First, count how many ones there are. Pupils to count in multiples e.g. 6, 12, 18, 24. Because I have '24' ones in one place value column, I know I need to exchange 1 1 1

four digit + three digits

Understanding place value and the place value of columns

Using 0 as a place holder

Numbers with 1 decimal place

Numbers with 2 decimal places

four digit – three digit

Understanding place value and the place value of columns


Using 0 as a place holder

Numbers with 1 decimal place


20 ones for 2 tens and count how many ones are left.

Thousands	Hundreds	Tens	Ones
	•	(P)	000000
	•	0	*****
		<u>•</u>	*****
		000	000000
			4


Now, count how many tens there are.




Now, count how many hundreds there are. Pupils to count in multiples. E.g. '2, 4, 6, 8'




...using **pictorial** representations




How many 8s go into 9?



Now, make 17 and check how many 8s go into 17.



Now, make 16 and check how many 8s go into | 2 2 16.




 $... using \ \textbf{abstract} \ methods$

*Use partitioning methods to support understanding of columnar addition where appropriate.

Numbers with 2 decimal places

3 1 7 ¼ 3 . 7 2 - 2 1 6 . 2 1 5 2 7 . 5 1

*Use partitioning methods to support understanding of columnar subtraction where appropriate. First, count how many ones there are. Pupils to count in multiples e.g. 6, 12, 18, 24. Because I know I cannot have '24' ones in one place value column, I know I need to exchange 20 ones for 2 tens and count



how many ones are left.

Now, count how many tens there are and how many hundreds there are. Pupils to count in multiples e.g. 2, 4, 6, 8.

...using **abstract** methods

Progression in column multiplication:

Step 1 (to introduce)

two digits x one digit - no exchanging e.g. 32 x 3

Step 2


two digits x one digit – exchange to tens e.g. 23 x 4

(Expand to model exchanging)

Progression in the formal written method for division:

Step 1


Two and three-digit numbers divided by a one-digit number – no exchanging across place value columns e.g. $84 \div 4$ = 21, $396 \div 3 = 132$




	1	3	2
3	3	9	6

Step 2

Two and three-digit numbers divided by a one-digit number - involving exchanging across place value columns without remainders e.g. $138 \div 6 = 23$, $976 \div 8 = 122$





* Introduce the concept of a remainder.

5 8 2 . 8 6

3 7 9 . 3 4

2 0 3 . 5 2

(Counting of the continue of t
(Sometimes new arrivals arrive knowing the expanded version)
2 3 2 3
x 4 x 4
9 2 1 2
1 + 8 0
9 2
Step 3
two digits x one digit – exchange to tens and hundreds e.g. 84 x 6
8 4 8 4
x 6 x 6
5 0 4 2 4
5 2 + 4 8 0
5 0 4
Step 4
three digits x one digit – exchange to tens e.g. 219 x 4
2 1 9
x 4
8 7 6
3
Step 5
three digits x one digit – exchange to
tens, hundreds and thousands e.g. 425
x 4
4 2 5
x 4
1 8 0 0

			1 2 2	
5	Add whole numbers with more than 4 digits (and with up to 3 decimal places), including using formal written methods (columnar addition)	Subtract whole numbers with more than 4 digits (and with up to 3 decimal places), including using formal written methods (columnar subtraction)	 Multiply numbers up to 4 digits by a 1 digit number using a formal written method e.g. 3721 x 7 Multiply one-digit numbers with up to three decimal places by whole numbers Multiply numbers up to 4 digits by 2-digit number using a formal written method e.g. 3721 x 37 	 Divide numbers up to 4 digits by a one-digit number using the formal written method and interpret remainders Divide numbers up to 4 digits with up to 3 decimal places by a one-digit number using the formal short written method
	The same as Year 4 but with larger numbers and with a greater number of decimals places - up to 3 decimal places. Continue to ensure that the use of '0' as a placeholder is used to ensure pupils are confident with the exchanging and adding on process.	The same as Year 4 but with larger numbers and with a greater number of decimals places - up to 3 decimal places. Continue to ensure that the use of '0' as a placeholder is used to ensure pupils are confident with the exchanging process.	Multiplication of a four-digit numbers by a one-digit numbers. using concrete equipment Use of place value counters (as used in Year 4). using pictorial representations Use of place value counters (as used in Year 4). using abstract methods: 3 7 2 1 4 7 2 5 x 7 2 6 0 4 7 2 5 1 x 9 4 2 5 2 5 4 6 2 4	Division of numbers with up to four digits by a one-digit number. Consolidate understanding of using the formal written method without remainders as outlined within Year 4. using concrete equipment Use of Numicon (as used in Year 4) using abstract methods Progression in the formal written method for division: Step 1 Two-digit number divided by one-digit number – with remainders
			Multiplication of a one-digit number with up to three decimal places by a one-digit number. 1 . 4 3 x 6 8 . 5 8 2 1 Develop to up to 4 digits with up to 3 decimal places by a one-digit number.	76 ÷ 6 = 12 r 4 $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

852 ÷ 7= 121 r 5. Multiplication of a four-digit number Round up or down given the context of the by a two-digit number. problem. 3 7 0 1 2 5 9 0 7 $8^{1}5^{1}2$ + 1 1 1 0 3 0 1 3 6 9 3 7 Step 3 Up to four-digits with up to 3 decimal places by a one-digit number Step 4 Four-digit number divided by one-digit number – with remaindersinterpreted as a decimal (to 3 decimal places) 6497 ÷ 8 = 812.125 5 0 8 1 2 1 2 ⁶4 9 ¹7 ¹0 ²0 ⁴0

6	 Add multi-digit numbers with more than 4 digits (with up to 3 decimal places), using formal written methods (columnar addition) 	Subtract multi-digit numbers with more than 4 digits (with up to 3 decimal places), using formal written methods (columnar subtraction)	Multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of long multiplication	 Divide numbers up to 4 digits (with up to 3 decimal places) by a two-digit whole number using the formal written method of division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context Short division Long division
	The same as Year 4 and 5 but with multi-digit numbers with more than 4 digits (and with up to 3 decimal places).	The same as Year 4 and 5 but with multi-digit numbers with more than 4 digits (and with up to 3 decimal places).	Multiplication of a four-digit number by a two-digit number. 3 7 0 1 x 3 7 2 5 9 0 7 + 1 1 1 0 3 0 1 3 6 9 3 7	Consolidate understanding of using the formal written method for dividing three-digit number with up to 3 decimal places by one-digit number as outlined in Year 5. Division of numbers with up to four-digits and three decimal places, by a two-digit whole number. 4138 ÷ 17 = 243 r 7 using concrete equipment Use of Numicon (as used in Year 4 and Year 5) using abstract methods Short Division 2 4 3 r 7 1 7 4 4 1 73 58 = 243 remainder 7 or 243 r 7 or 243 7/17 or 243.41 or 243 (to the nearest whole number)* *Answer according to the question. Long Division 2 4 3 r 7 1 7 4 1 3 8 3 4

		7 3
		6 8
		5 8
		5 1
		7